	Application No.	Applicant(s)
Notice of Allowability	10/038,165	BURTON ET AL.
	Examiner	Art Unit
	Jacob F. Betit	2164
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	ears on the cover sheet with the of (OR REMAINS) CLOSED in this appropriate communication or other appropriate communication GHTS. This application is subject and MPEP 1308.	correspondence address oplication. If not included n will be mailed in due course. THIS
	<u>1 3-July-2000</u> .	
2. \boxtimes The allowed claim(s) is/are <u>1-45</u> .		
 3. ☐ Acknowledgment is made of a claim for foreign priority una) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 	been received. been received in Application No	
 Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). 	cuments have been received in this	national stage application from the
* Certified copies not received:		•
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give	ENT of this application. itted. Note the attached EXAMINER	R'S AMENDMENT or NOTICE OF
5. CORRECTED DRAWINGS (as "replacement sheets") mus	t be submitted.	
(a) including changes required by the Notice of Draftspers	on's Patent Drawing Review (PTO	-948) attached
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the draw he header according to 37 CFR 1.121	ings in the front (not the back) of (d).
 DEPOSIT OF and/or INFORMATION about the depo- attached Examiner's comment regarding REQUIREMENT. 		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	5. ☐ Notice of Informal I 6. ⊠ Interview Summary	Patent Application (PTO-152)
	Paper No./Mail Da	ate <u>20060718</u>
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 	8), 7. 🛛 Examiner's Amend	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. 🗌 Examiner's Statem	ent of Reasons for Allowance
of Biological Material	9.	/ /
		SAM RIMELL PRIMARY EXAMINER

payment of the issue fee.

Page 2

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the

Authorization for this examiner's amendment was given in a telephone interview with Rabindranath Dutta on 17 July 2006 as discussed in the attached interview summary.

An article of manufacture including code for accessing a

file in a source code management system from a source code management system client to a

server, wherein the code is capable of causing operations, the operations comprising:
sending, from the source code management system client, a first request for checking-out
the file to the server;

receiving, at the source code management system client, a storage location address containing the file in response to the first request, wherein the storage location address containing the file is located more proximate to the source code management system client than

to the server, wherein metadata corresponding to the file is kept more proximate to the server

than to the source code management system client, wherein the storage location has been determined from the metadata by the server based on a history of request patterns from a plurality of source code management system clients, wherein the metadata

., ~vhnc the filts me s indicates storage location

addresses corresponding to tiles, "td wherein the metadata includes indications of the number

of accesses of the tiles by the plurality of source code management system clients, and wherein

the history of request patterns includes the indications of the number of accesses of the files by

the plurality of source code management system clients;

sending, from the source code management system client, a second request to the storage location address; and

receiving, at the source code management system client, an access to the file from the storage location address, wherein the sever updates the Inetadata to indicate that the tile is checked-out and locked after providing the access.

The application has been amended as follows:

Amend Claim 1 as follows:

Claim 1 (Currently Amended) A method for controlling and providing access to files maintained at remote storage locations to a source code management system client over a network, the method comprising:

receiving a request, at a server, for checking-out a file corresponding to a filename, from the source code management system client over the network;

determining from metadata, by the server, a remote storage location address associated with the filename where the requested file is located, wherein the metadata is defined in a mapping table that indicates remote storage location addresses corresponding to the files, wherein the metadata includes indications of the number of accesses of the files by a plurality of source code management system clients, wherein the metadata is stored more proximate to the server than to the source code management system client, wherein the remote storage location address is based on a history of request patterns from the plurality of source code management system clients, and wherein the history of request patterns includes the indications of the number of accesses of the files by the plurality of source code management system clients;

sending, by the server, the remote storage location address to the source code management system client, wherein the remote storage location address where the requested file is located is more proximate to the source code management system client than to the server; and updating, by the server, the metadata to indicate that the requested file is checked-out and locked.

Amend Claim 10 as follows:

Claim 10 (Currently Amended) A method for accessing a file in a source code management system, the method comprising:

sending, from a source code management system client, a first request for checking-out the file to a server;

receiving, at the source code management system client, a storage location address containing the file in response to the first request, wherein the storage location address

containing the file is located more proximate to the source code management system client than to the server, wherein metadata corresponding to the file is kept more proximate to the server than to the source code management system client, wherein the storage location has been determined from the metadata by the server based on a history of request patterns from a plurality of source code management system clients, wherein the metadata is defined in a mapping table that indicates storage location addresses corresponding to files, wherein the metadata includes indications of the number of accesses of the files by the plurality of source code management system clients, and wherein the history of request patterns includes the indications of the number of accesses of the files by the plurality of source code management system clients;

sending, from the source code management system client, a second request to the storage location address; and

receiving, at the source code management system client, an access to the file from the storage location address, wherein the server updates the metadata to indicate that the file is checked-out and locked after providing the access.

Amend Claim 14 as follows:

Claim 14 (Currently Amended) A system for controlling and providing access to files to source code management system clients over a network, wherein remote storage locations are accessible over the network, the system comprising:

means for receiving a request for checking-out a file corresponding to a filename, from a source code management system client over the network;

means for determining from metadata a storage location address of a remote storage location associated with the filename where the requested file is located, wherein the metadata is defined in a mapping table that indicates remote storage location addresses corresponding to the files, wherein the metadata includes indications of the number of accesses of the files by a plurality of source code management system clients, wherein the metadata and is stored more proximate to the system than to the source code management system client, and wherein the remote storage location address is based on a history of request patterns from the plurality of source code management system clients, wherein the history of request patterns includes the indications of the number of accesses of the files by the plurality of source code management system clients;

means for sending the remote storage location address to the source code management system client, wherein the remote storage location address where the requested file is located is more proximate to the source code management system client than to the system; and

means for updating the metadata to indicate that the requested file is checked-out and locked.

Amend Claim 23 as follows:

Claim 23 (Currently Amended) A system for accessing a file in a source code management system, wherein the system is in communication with a server, the system comprising:

means for sending a first request for checking-out the file to the server;

means for receiving a storage location address containing the file in response to the first request, wherein the storage location address containing the file is located more proximate to the system than to the server, wherein metadata corresponding to the file is kept more proximate to the server than to the system, wherein the storage location has been determined from the metadata by the server based on a history of request patterns from a plurality of source code management system clients, wherein the metadata is defined in a mapping table that indicates storage location addresses corresponding to files wherein the metadata includes indications of the number of accesses of the files by the plurality of source code management system clients, and wherein the history of request patterns includes the indications of the number of accesses of the files by the plurality of source code management system clients,

means for sending a second request to the storage location address; and
means for receiving an access to the file from the storage location address, wherein the
server updates the metadata to indicate that the file is checked-out and locked after providing the
access.

Amend Claim 27 as follows:

Claim 27 (Currently Amended) An article of manufacture <u>comprising a computer</u>

readable medium including code for controlling and providing access to files at storage locations on a network to a source code management system client coupled to a server over the network, wherein the code is capable of causing operations, the operations comprising:

receiving a request, at the server, for checking-out a file corresponding to a filename from the source code management system client over the network;

locked.

determining from metadata, by the server, a remote storage location address associated with the filename where the requested file is located, wherein the metadata is defined in a mapping table that indicates remote storage location addresses corresponding to the files, wherein the metadata includes indications of the number of accesses of the files by a plurality of source code management system clients, wherein the metadata is stored more proximate to the server than to the source code management system client, wherein the remote storage location address is based on a history of request patterns from the plurality of source code management system clients, and wherein the history of request patterns includes the indications of the number of accesses of the files by the plurality of source code management system clients,

sending, by the server, the remote storage location address to the source code management system client, wherein the remote storage location address where the requested file is located is more proximate to the source code management system client than to the server; and updating, by the server, the metadata to indicate that the requested file is checked-out and

Amend Claim 36 as follows:

Claim 36 (Currently Amended) An article of manufacture <u>comprising a computer</u>

readable medium including code for accessing a file in a source code management system from a source code management system client to a server, wherein the code is capable of causing operations, the operations comprising:

sending, from the source code management system client, a first request for checking-out the file to the server;

Application/Control Number: 10/038,165

Art Unit: 2164

receiving, at the source code management system client, a storage location address containing the file in response to the first request, wherein the storage location address containing the file is located more proximate to the source code management system client than to the server, wherein metadata corresponding to the file is kept more proximate to the server than to the source code management system client, wherein the storage location has been determined from the metadata by the server based on a history of request patterns from a plurality of source code management system clients, wherein the metadata is defined in a mapping table that indicates storage location addresses corresponding to files, wherein the metadata includes indications of the number of accesses of the files by the plurality of source code management system clients, and wherein the history of request patterns includes the indications of the number of accesses of the files by the plurality of source code management system clients;

sending, from the source code management system client, a second request to the storage location address; and

receiving, at the source code management system client, an access to the file from the storage location address, wherein the sever updates the metadata to indicate that the file is checked-out and locked after providing the access.

Conclusion

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jacob F. Betit whose telephone number is (571) 272-4075. The examiner can normally be reached on Monday through Friday 9:30 am to 5:30 pm.

Application/Control Number: 10/038,165 Page 10

Art Unit: 2164

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Charles Rones can be reached on (571) 272-4085. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

jfb 18 Jul 2006

SAM RIMELL
DRIMARY EXAMINER